Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/003874

International filing date: 03 February 2005 (03.02.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 10/772,942


Filing date: 04 February 2004 (04.02.2004)

Date of receipt at the International Bureau: 17 March 2005 (17.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





4(4) ANN IND WINDER THRESE PRESENTS; SHAME (CONEC;

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

March 07, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 10/772,942 FILING DATE: February 04, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/03874

Certified by

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

- 1	
-	
-	
_:	
\mathcal{C}	
\sim	
\mathcal{L}_{i}	
$\overline{}$	
\sim	=
-	
	_

UTILITY PATENT APPLICATION **TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	206,195
First Inventor	Dilton A. LIGHTBOURNE
CITZENSHIP; BYIT Title	PORTABLE KITCHEN FOR PREPARING
Express Mail Label No.	ET 537 601 466 US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Mail Stop Patent Application Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450
1. X Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing) Applicant claims small entity status. See 37 CFR 1.27. 3. X Specification [Total Pages 13] (preferred arrangement set forth below) - Descriptive title of the invention - Cross Reference to Related Applications - Statement Regarding Fed sponsored R & D - Reference to sequence listing, a table, or a computer program listing appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure	7. CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix) 8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. Computer Readable Form (CRF) b. Specification Sequence Listing on: i. CD-ROM or CD-R (2 copies); or ii. Páper c. Statements verifying identity of above copies ACCOMPANYING APPLICATION PARTS
4. X Drawing(s) (35 U.S.C. 113) [Total Sheets 2] 5. Oath or Declaration [Total Sheets 2] a. X Newly executed (original or copy) b. Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 18 completed) i. DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) name in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b). 6. Application Data Sheet. See 37 CFR 1.76	Assignment Papers (cover sheet & document(s)) 37 CFR 3.73(b) Statement Power of Attorney 11. English Translation Document (if applicable) 12. Information Disclosure Copies of IDS Statement (IDS)/PTO 1449 13. Preliminary Amendment 14. Return Receipt Postcard (MPEP 503) (Should be specifically itemized) 15. Certified Copy of Priority Document(s) (if foreign priority is claimed) Nonpublication Request under 35 U.S.C. 122 (b)(2)(B)(i). Applicant must attach form PTO/SB/35 or its equivalent. Other:
18. If a CONTINUING APPLICATION, check appropriate box, and suppose specification following the title, or in an Application Data Sheet under 3. Continuation Divisional Continuation: Examiner For CONTINUATION OF DIVISIONAL APPS only; The entire disclosure of the 5b, is considered a part of the disclosure of the accompanying continuation. The incorporation can only be relied upon when a portion has been inadver	7 CFR 1.76: tion-in-part (CIP) of prior application No
	DENCE ADDRESS
Customer Number:	OR X Correspondence address below
Name ABELMAN, FRAYNE & SCHWAB	
Address 150 East 42nd Street	
City New York	State NY Zip Code 10017-5612
	State NY Zip Code 10017-5612 elephone 212-949-9022 Fax 212-949-9190
Name (Print/Type) Joseph J. Cafanzaro	
Signature Signature	Registration No. (Attorney/Agent) 25,837 Date 02/04/2004

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 65 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time voluments of the complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/17 (10-03)

Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

2	
040	
4	
	_

TRANSMITTAL for FY 2004

Effective 10/01/2003. Patent fees are subject to annual revision.

Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT

Ł	/A\	205	$\Delta \Delta$
Ŀ	(\$)	385	.UU

Complete if Known				
Application Number				
Filing Date	February 4, 2004			
First Named Inventor	Dilton A. LIGHTBOURNE			
Examiner Name	N/A			
Art Unit	N/A			
Attorney Docket No.	206,195			

METHOD OF PAYMENT (check all that apply)				FEI	E CALCULATION (continued)	
X Check Credit card Money Other None	3. A	DDITI	ONAI	L FEE	is .	
X Deposit Account:	L <u>arge</u>	Entity	Smal	Entity	!	
Denosit	Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	
Account Number 01-0035	1051	130	2051	• • •	Surcharge - late filing fee or oath	Fee Paid
Deposit	1052	50	2052		Surcharge - late provisional filing fee or	
ACCOUNT Name ABELMAN, FRAYNE & SCHWAB					cover sheet	
The Director is authorized to: (check all that apply)	1053	130	1053		Non-English specification	
Charge fee(s) indicated below X Credit any overpayments	1804	2,520 920*	1812	•	For filing a request for <i>ex parte</i> reexamination	
X Charge any additional fee(s) or any underpayment of fee(s)	1604	920	1804	920	Requesting publication of SIR prior to Examiner action	
Charge fee(s) indicated below, except for the filing fee	1805	1,840*	1805	1,840*	Requesting publication of SIR after	
to the above-identified deposit account.	1251	110	2251	55	Examiner action Extension for reply within first month	
FEE CALCULATION	1252	420	2252	210	=	
1. BASIC FILING FEE Large Entity Small Entity	1253	950	2253		Extension for reply within third month	
Fee Fee Fee Fee Description Fee Paid		1,480	2254		Extension for reply within fourth month	
Code (\$) Code (\$) 1001 770 2001 385 Utility filing fee	i	2,010	2255		Extension for reply within fifth month	
1001 770 2001 385 Utility filing fee 385.00 1002 340 2002 170 Design filing fee	1401	330	2401		Notice of Appeal	
1003 530 2003 265 Plant filing fee	1402	330	2402		Filing brief in support of an appeal	
1004 770 2004 385 Reissue filing fee	1403	290	2403		Request for oral hearing	
1005 160 ,2005 80 Provisional filing fee	1451	1.510	1451		Petition to institute a public use proceeding	
SUBTOTAL (1) (\$) 385.00		110	2452		Petition to revive - unavoidable	
		1.330	2453	665	Petition to revive - unintentional	
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE		1,330	2501		Utility issue fee (or reissue)	
Extra Claims below Fee Paid	1502	480	2502	240	Design issue fee	
Total Claims 16 -20** = 0 X = 0	1503	640	2503	320	Plant issue fee	
Claims Multiple Dependent	1460	130	1460	130	Petitions to the Commissioner	
	1807	50	1807	50	Processing fee under 37 CFR 1.17(q)	
Large Entity Small Entity	1806	180	1806	180	Submission of Information Disclosure Stmt	
Code (\$)	8021	40	8021	40	Recording each patent assignment per property (times number of properties)	
1201 86 2201 43 Independent claims in excess of 3	1809	770	2809	385	Filing a submission after final rejection (37 CFR 1.129(a))	
1203 290 2203 145 Multiple dependent claim, if not paid	1810	770	2810	385	For each additional invention to be examined (37 CFR 1,129(b))	
1204 86 2204 43 ** Reissue independent claims over original patent	1801	770	2801	385	Request for Continued Examination (RCE)	
1205 18 2205 9 ** Reissue claims in excess of 20	1802	900	1802		Request for expedited examination of a design application	
	Other	fee (sp	ecify) _			
SUBTOTAL (2) (\$) 0.00 **or number previously paid, if greater, For Reissues, see above				Filing F	ee Paid SUBTOTAL (3) (\$)	

SUBMITTED BY					(Complete	(if applicable)
Name (Print/Type)	Joseph J. Catanzaro	2	Registration No. (Attorney/Agent)	25,837	Telephone	212-949-9022
Signature	my/ /	1/m.			Date	February 4, 2004

WARNING Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PORTABLE KITCHEN FOR PREPARING AND STORING FOODS OR THE LIKE

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to a portable kitchen for preparing and storing food products of the like, contemplated primarily for use in the field. The kitchen is contained within a portable suitcase-type carry bag and includes power adapters which render the kitchen operable away from the home as well as in the home.

2. <u>Description of the Prior Art</u>

In the past attempts have been made to provide kitchen devices in portable units for purposes of availability and convenience, primarily away from home, but also for use within the home, when needed. Certain attempts included actual certain kitchen utilities such as burners for cooking and preparing hot foods and utensils used for preparing and serving the foods. Many of such attempts have included portable containers for supporting the storage of the functional items used for preparing and serving the food.

One example of a portable kitchen is disclosed in U.S. patent no. 6,079,400 wherein a portable camp kitchen comprises a cooker unit with a burner and a container member adapted to contain the cooking unit integrally with the latter. The cooker unit is mounted on a frame which is in turn supported on rotatable support members. Another example of a

camper style kitchen caddy is disclosed in U.S. patent no. 5,579,914 which relates to a camper kitchen caddy having a carrying case which includes various food preparation items mounted thereon. U.S. patent no. 5,257,509 relates to a convertible briefcase, food and beverage carriage, and mini-cooler in which a container is convertible between a briefcase, a food and beverage carriage, and a mini-cooler. U.S. patent no. 4,706,817 relates to a portable food holding device comprising a table section with foldable legs and a cover attached thereto. U.S. patent no. 3,489,267 relates to a cooking unit for campers and the like intended to enable the use of various utensils in combination with other utensils and compact packing of the whole. The combination of elements disclosed include at least one first utensil, a second utensil, and a third utensil, whereby the third utensil can serve as a cover for the first utensil and so can a second utensil, and a second utensil can also serve as a cover for a third utensil, and the three can be put together with the second utensil sandwiched between the first utensil and the third utensil. Lastly, U.S. patent no. 3,171,700 relates to a bar cabinet of the type having hinge means pivotally connecting two sections which form an enclosure for bar implements, bottles and the like.

While the prior art includes various attempts to provide kitchen-type devices with portability, none relate to a device which provides the scope of function and utility to prepare and store foods with efficiency, away from the home, as well as within the home, and with various power adapter capabilities to provide the requisite heating and cooling functions for preparation and storage of foods. I have invented a portable mini-kitchen which includes kitchen-type appliances generally needed for the preparation and storage of foods, with multiple energy adapters for use with various power sources within and away from the home.

SUMMARY OF THE INVENTION

The present invention relates to a portable kitchen, which comprises a case having at least one cover movable between closed and open positions, the closed position being for compact containment of contents therein, and the open position exposing the contents for use. A plurality of functional food preparation and storage devices are supported within the case, including a refrigerator unit capable of containing and storing foods at conventional refrigerator storage temperatures, a microwave power unit for microwave heating of foods, and a cooking unit having cooking burners for heating cookware or the like for preparing heated foods. The invention further comprises a power connecting device for connecting an outside source of power to the food preparation and storage devices to provide functioning power to the devices.

The power connecting device is preferably at least one of a direct current (i.e., D.C.) connecting device and an alternating current (i.e., A.C.) connecting device. The refrigerator unit is capable of maintaining food items at conventional refrigeration temperatures, i.e., between about 34°F and about 46°F, and more particularly, between about 36° F and about 40° F, when supplied with power.

The microwave power unit includes at least one pivotable access door for gaining access to a central food heating section, the access door having a glass viewing panel which permits viewing of an internal microwavable heating section. The microwave power unit may also include at least two pivotable access doors for gaining access to a central food heating section, each said access door having a glass viewing panel.

The portable kitchen further comprises a toaster device supported by the case for toasting food items. Further the refrigerator unit is preferably positioned adjacent the microwave unit, each being insulated from the other by a heat insulating wall. The microwave unit may be positioned adjacent the cooking unit, each separated from the other by a heat insulating wall.

The portable kitchen further comprises a storage space and a plurality of support shelves for supporting utensils, equipment, food or the like. Further, the power connecting device is preferably a power inverter having a power cord for connection to a direct current (i.e., D.C.) source. The power cord preferably includes a device for connection to a cigarette/cigar lighter of a motorized unit.

The motorized unit may be an automobile, SUV, RV, mini-van, boat or the like. Further, the power connecting device may also be a power connection device having a power cord adapted for connection to a conventional alternating current (i.e., A.C.) power source. Further, the power cord may also include a connection device at one end for insertion into an alternating current (i.e., A.C.) power source, such as a standard wall duplex outlet.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a top and right side perspective view of a portable kitchen for preparing and storing foods or the like constructed according to the present invention;

Fig. 2 is a top and right side perspective view of the portable kitchen shown in Fig. 1 in the open condition, illustrating the functional food preparation and storage facilities, the device being ready for use in preparing and/or storage of foods; and

Fig. 3 is a top and right side perspective view of the portable kitchen shown in Fig. 2 illustrating the incorporation and use of an alternative source of power for food preparation and storage.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring initially to Fig. 1 there is shown a portable kitchen 10 for preparing and storage of foods or the like constructed according to the present invention. The portable kitchen 10 is contained within a carry case 12 having a structure and functional arrangement similar to the structure of a suitcase or briefcase, wherein a main case 14 has a cover 16 pivotably attached thereto by hinge 18 as shown. Front cover 20 is also pivotably attached by hinge 22 as shown in Fig. 1. The function and arrangement of each of these items will be more fully described in connection with Figs. 2 and 3.

Referring now to Fig. 2 there is illustrated the portable kitchen shown in Fig. 1 with the covers pivotably rotated to the operative position. In particular, the case 14 includes pivotable support tray 20 which may be rotated 90° (degrees) downwardly about hinge 22 and supported on a pair of vertical support members 24,26 placed on the ground, as shown. Support members 24,26 may be attached to the front surface of support shelf 20 by threaded connections with female threaded collar members 28,30, or otherwise be made to support tray 20. The top cover 16 is shown pivotably rotated upwardly approximately 90 degrees relative to the main case 14 about hinge 18 so as to permit full display of the kitchen appliances and utensils as shown in the drawings, as well as an array of storage units as shown.

Referring once again to Fig. 2, the main case 14 includes a microwave unit 32 and refrigerator unit 34. The microwave unit is accessible through vertical front door 36 or horizontal top door 38. Each door 36,38 of the microwave unit respectively includes a glass viewing panel 44,46 as shown. The refrigerator unit 34 is accessible by a vertical front door 40 or alternatively by a horizontal top door 42.

A cooking unit 48 is provided adjacent and immediately to the right of the microwave unit 32, and separated by a wall 50 which is preferably provided with an insulating medium (not shown) to separate the cooking element from the microwave unit. In addition, an insulating wall is provided between the microwave unit 32 and the refrigerator unit 34, but is not shown.

Referring once again to the cooking unit 48, there are provided several burners 52, 54 for heating cookware to prepare foods. In addition, toaster 56 for preparing toast or the like, is provided behind burner 54.

As can be seen in the drawings, each of the powered units, including the microwave 32, the refrigerator 34, the cookware unit 48, and the toaster unit 56 are powered by a connecting device in the form of an inverter 58 which in turn is provided with a power source from a cigarette lighter of a motor vehicle by a power connection cord 60 as shown. Power connection cord 60 includes an appropriate jack 62 which may be inserted into the cigarette/cigar lighter of a motor vehicle (not shown). The power inverter unit 58 is shown schematically in dash lines and may be one of various types available on the market which are usable with SUV's, RV's, mini-vans, automobiles, boats or the like. Power inverters available on the market are provided under the trademark Prosine Wave Inverters. Power inverters such as Prosine Power and X Power Inverters 1750 plus marketed by Xantrex are also contemplated. Alternative power jacks and power sources are also contemplated, depending upon local availability and designs.

As can be seen in Fig. 2, the power connector cord 60 which includes cigarette lighter adapter 62 is connected to the power inverter and provides the appropriate internal power source for the cookware unit, the microwave, the refrigerator and the toaster.

As can also be seen from Fig. 2, an alternative source of power can be provided by way of a bottled gas 64 which is shown in dash lines and which can alternatively be connected as a power source to the appliance units in a known manner. In Fig. 2 there is also illustrated an alternating current outlet adapter which is denoted "A.C. (i.e., alternating

current) outlet" which will be further described in conjunction with the embodiment shown in Fig. 3.

Referring now to Fig. 3, there is disclosed a portable kitchen similar to the embodiment shown in Fig. 2, wherein most or all of the elements and components are identically numbered to those of Fig. 2. The distinction between the embodiment of Fig. 2 and that of Fig. 3 is that the embodiment of Fig. 2 utilizes an A.C. adapter power cord 66 which includes an appropriate jack or connector 68 at one end for insertion into the A.C. outlet opening in the portable kitchen case 14, and at the other end, an A.C. plug 70 adaptable for use in conjunction with a conventional wall mounted A.C. duplex unit 72 of the type generally found in homes, garages or the like. In use, where conventional power sources are available through an alternating current outlet 72 as shown in Fig. 3, the appropriate A.C. connecting wire is inserted into the A.C. outlet opening 68 of the portable kitchen after the connector cord 60 (which is used in conjunction with a vehicle power source and inverter 58) is removed from the device. The appropriate internal power connections are incorporated for conversion either by a switch (switch not shown) or by directing the power units directly to the appropriate connections in each of the appliances. In all other respect the embodiment of the portable kitchen is the same as in the embodiment shown in Fig. 2.

Referring now once again to the portable kitchen shown in Figs. 2 and 3, there is illustrated a pair of storage cabinets 74,76 mounted on cover 16, each storage cabinet respectively including a pivotable door 78,80 as shown for pivotable movement downwardly about respective hinge 79,81, to an open position whereby access to the storage cabinet is available. The storage cabinet also includes a shelf 82 for supporting food, utensils or the

like during and after food preparation. An additional storage unit or well-type opening 84 is included in the main case 14 immediately behind the microwave unit 32 and refrigerator unit 34.

As can be seen from the drawings, the suitcase type cover 16 can be pivotably rotated downwardly, while the shelf 20 can be pivotably rotated upwardly so that they meet and join and are connected by appropriate locking mechanisms 86,88,90 and 92 as shown, to connect and return the suitcase to the closed compact condition shown in Fig. 1.

In operation the portable kitchen can be utilized to prepare and store foods in locations away from home as well as within the home, if required, through the usage of a power supply from an SUV, RV, mini-van, automobile, boat or the like, or thorough a conventional source of power is shown in Fig. 3. The portable kitchen storage space 84, as well as the cabinets 74,76, can be utilized to include storage of utensils, pots, pans or the like when kitchen is not in use. Alternatively, the space 84 can be used to store foods.

It can be seen that the portable kitchen of the present invention is a self-contained unit which can be made to store utensils, kitchen equipment or the like, and can be readily powered for use as a whole or for use as a substitute of a full-size kitchen away from the home or within the home.

CLAIMS


- 1. A portable kitchen, which comprises:
- a) a case having at least one cover movable between closed and open positions, the closed position being for compact containment of contents therein, and the open position exposing the contents for use;
- b) a plurality of functional food preparation and storage devices supported within said case, including:
- 1) a refrigerator unit capable of containing and storing foods at conventional refrigerator storage temperatures;
 - 2) a microwave power unit for microwave heating of foods; and
- 3) a cooking unit having cooking burners for heating cookware or the like for preparing heated foods; and
- c) a power connecting device for connecting an outside source of power to said food preparation and storage devices to provide functioning power to said devices.
- 2. The portable kitchen according to claim 1, wherein said power connecting device is at least one of a direct current (i.e., D.C.) connecting device and an alternating current (i.e., A.C.) connecting device.
- 3. The portable kitchen according to claim 2, wherein said refrigerator unit is capable of maintaining food items at between about 34°F and about 46°F, when supplied with power.


- 4. The portable kitchen according to claim 3, wherein said microwave power unit includes at least one pivotable access door for gaining access to a central food heating section.
- 5. The portable kitchen according to claim 4, wherein each said microwave access door has a glass viewing panel which permits viewing of an internal microwavable heating section.
- 6. The portable kitchen according to claim 5, wherein said microwave power unit includes at least two pivotable access doors for gaining access to a central food heating section, each said access door having a glass viewing panel.
- 7. The portable kitchen according to claim 6, further comprising a toaster device supported by said case for toasting food items.
- 8. The portable kitchen according to claim 7, wherein said refrigerator unit is positioned adjacent said microwave unit, each being insulated from the other by a heat insulating wall.
- 9. The portable kitchen according to claim 8, wherein said microwave unit is positioned adjacent said cooking unit, each separated from the other by a heat insulating wall.
- 10. The portable kitchen according to claim 9, further comprising a storage space and a plurality of support shelves for supporting utensils, equipment, food or the like.
- 11. The portable kitchen according to claim 10, wherein said power connecting device is a power inverter having a power cord for connection to a direct current (i.e., D.C.) source.

- 12. The portable kitchen according to claim 11, wherein said power cord includes a device for connection to a cigarette/cigar lighter of a motorized unit.
- 13. The portable kitchen according to claim 12, wherein said motorized unit is an automobile, SUV, RV, mini-van, boat or the like.
- 14. The portable kitchen according to claim 10, wherein said power connecting device is a power connection device having a power cord adapted for connection to a conventional alternating current (i.e., A.C.) power source.
- 15. The portable kitchen according to claim 14, wherein said power cord includes a connection device at one end for insertion into an alternating current (i.e., A.C.) power source.
- 16. The portable kitchen according to claim 15, wherein said A.C. power source is a standard wall duplex outlet.

ABSTRACT OF THE DISCLOSURE

A portable kitchen, which includes a case having at least one cover movable between closed and open positions, the closed position being for compact containment of contents therein, and the open position exposing the contents for use. A plurality of functional food preparation and storage devices are supported within the case, including: a refrigerator unit capable of containing and storing foods a conventional refrigerator storage temperatures; and a microwave power unit for microwave heating of foods; a cooking unit having cooking burners for heating cookware or the like for preparing heated foods. A power connecting device is provided for connecting an outside source of power to the food preparation and storage devices to provide functioning power to the devices.





BEST AVAILABLE COPY

UNITED STATES

UTILITY PATENT APPLICATION	ATTORNEY'S DOCKET NO.
DECLARATION AND POWER OF ATTORNEY - ORIGINAL APPLICATION	206,195

As a below named inventor, I hereby declare that:

my residence, post office address and citizenship are as stated below next to my name; and

I verily believe I am the original, first and sole inventor (if only one name is listed believe

plural ir	ventors are nam	ed below) of the invention entitled:	entor (11
(1) TITLE OF INVENTION	(1) POF	TABLE KITCHEN FOR PREPARING AND STORING FOODS OR THE LIKE	
	the specification	on of which:	
(2) CHECK APPROPRIATE	(2) X	is attached hereto; or	
BOX	was filed on as U.S. Application Number	;	
	L1	and was amended on(if	applicable).
l ackno applicati certifica applicati to applic	owledge my duty ion under 37 C.I te issued before ion filed by me c cations for patent	e reviewed and understand the contents of the above-identified specification, including amendment referred to above, to disclose information of which I am aware which is material to the patentability. R. § 1.56(a): the invention has not been patented or made the subject of an inventible date of this application in any country foreign to the United States of America ramy legal representatives or assigns more than twelve months prior to this applicas or inventor's certificate on the invention filed in any country foreign to the United by me or my legal representatives or assigns.	of this tor's on an
(3) CHECK APPROPRIATE BOX	(3)	no such applications have been filed; or such applications have been filed as follows:	

(4)COMPLETE DATA **INDICATED** 1F **APPLICABLE**

Country	IGN APPLICATION(S). IF A Application Number	Date of Filing (day, month, year)	Date of Issue (day, month, year)	Priority Claimed Under 35 U.S.C. § 119
(4)				☐ Yes ☐ No
	M. Committee of the com			☐ Yes ☐ No
				□ Yes □ No
ALL FOREIGN	APPLICATIONS, IF ANY, F	LED MORE THAN 12	MONTHS PRIOR TO	THIS APPLICATION
(4)				Priority Claimed
				□ Yes □ No
				□ Yes □ No

Thereby claim the benefit under Title 35, United States Code § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35. United States Code, § 112. Tacknowledge the duty to disclose material information as defined in Title 37. Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

(5) COMPLETE DATA INDICATED IF APPLICABLE	(5)	(Application Number)	(Filing date)	(Status: patented, pending, abandoned)	
II AITECABLE	(5)	(Application Number)	(Filing date)	(Status: patented, pending, abandoned)	

Power of Attorney: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the U.S. Patent and Trademark Office connected therewith.

Jeffrey A. Schwab. Registration Number 24,490 Thomas E. Spath. Registration Number 25,928 Jay S. Cinamon. Registration Number 24,156 Joseph J. Catanzaro. Registration Number 25,837

Anthony Coppola, Registration Number 41,493 Alan D. Gilliland, Registration Number 26,549 Anthony J. Natoli, Registration Number 36,223

Send correspondence to: ABELMAN, FRAYNE & SCHWAB 150 East 42nd Street New York, New York 10017-5612

Direct telephone calls to: Jeffrey A. Schwab, Thomas E. Spath, Jay S. Cinamon, Joseph J. Catanzaro, Alan D. Gilliland, Anthony Coppola or Anthony J. Natoli at (212) 949-9022

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(6) DETAILS REQUIRED FOR EACH INVENTOR

Full Name of Sole or First Inventor	Invente Signature	Date /
Dilton A. Lightbourne	Meller	22/1/04
Residence		Cityzenship DEPENDS
29 Rockland Estates, Warwick, WK07, Bermuda		DRITSHIP RICHY
Post Office Address		
SAME AS ABOVE		
Full Name of Second Joint Inventor, If Any	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		
Full Name of Third Joint Inventor, If Any	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		
Full Name of Fourth Joint Inventor, If Any	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		
Full Name of Fifth Joint Inventor, If Any	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		1
Full Name of Sixth Joint Inventor, If Any	Inventor's Signature	Date
Residence .		Citizenship
Post Office Address		